| 46006-3 | Physical functioning and stuctural problems - section | | Pt | ^Patient | Set | | | |

| 46007-1 | | ADL self performance or support | - | Pt | ^Patient | Set | | |

| 45588-1 | | Bed mobility - self-performance | Find | Pt | ^Patient | Ord | MDS | CE | G1aA |

CONSISTENCY CHECKS: *1. Value must be 8, if G1aB = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_755

SEQ#	Answer	Global ID	Code	System
1	INDEPENDENT-No help or oversight -OR- Help/oversight provided only 1 or 2 times during last 7 days		0	
2	SUPERVISION-Oversight, encouragement or cueing provided 3 or more times during last7 days -OR- Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days		1	
3	LIMITED ASSISTANCE-Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times - OR-More help provided only 1 or 2 times during last 7 days		2	
4	EXTENSIVE ASSISTANCE-While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: - Weight-bearing support - Full staff performance during part (but not all) of last 7 days		3	
5	TOTAL DEPENDENCE-Full staff performance of activity during entire 7 days		4	
6	ACTIVITY DID NOT OCCUR during entire 7 days		8	

| 45589-9 | | Bed mobility - support provided | Find | Pt | ^Patient | Ord | MDS | CE | G1aB |

CONSISTENCY CHECKS: *1. Value must be 8, if G1aA = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_768

SEQ#	Answer	Global ID	Code	System
1	No setup or physical help from staff		0	
2	Setup help only		1	
3	One person physical assist		2	
5	ADL activity itself did not occur during entire 7 days		8	

| 45590-7 | | Transfer - self-performance | Find | Pt | ^Patient | Ord | MDS | CE | G1bA |

CONSISTENCY CHECKS: *1. Value must be 8, if G1bB = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_755

SEQ#	Answer	Global ID	Code	System
1	INDEPENDENT-No help or oversight -OR- Help/oversight provided only 1 or 2 times during last 7 days		0	
2	SUPERVISION-Oversight, encouragement or cueing provided 3 or more times during last7 days -OR- Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days		1	
3	LIMITED ASSISTANCE-Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times - OR-More help provided only 1 or 2 times during last 7 days		2	
4	EXTENSIVE ASSISTANCE-While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: - Weight-bearing support - Full staff performance during part (but not all) of last 7 days		3	
5	TOTAL DEPENDENCE-Full staff performance of activity during entire 7 days		4	
6	ACTIVITY DID NOT OCCUR during entire 7 days		8	

| 45591-5 | | Transfer - support provided | Find | Pt | ^Patient | Ord | MDS | CE | G1bB |

CONSISTENCY CHECKS: *1. Value must be 8, if G1bA = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_768

SEQ#	Answer	Global ID	Code	System
1	No setup or physical help from staff		0	
2	Setup help only		1	
3	One person physical assist		2	
5	ADL activity itself did not occur during entire 7 days		8	

| 45592-3 | | Walk in room - self-performance | Find | Pt | ^Patient | Ord | MDS | CE | G1cA |

CONSISTENCY CHECKS: *1. Value must be 8, if G1cB = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_755

SEQ#	Answer	Global ID	Code	System
1	INDEPENDENT-No help or oversight -OR- Help/oversight provided only 1 or 2 times during last 7 days		0	
2	SUPERVISION-Oversight, encouragement or cueing provided 3 or more times during last7 days -OR- Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days		1	

3	LIMITED ASSISTANCE-Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times - OR-More help provided only 1 or 2 times during last 7 days								2
4	EXTENSIVE ASSISTANCE-While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: - Weight-bearing support - Full staff performance during part (but not all) of last 7 days								3
5	TOTAL DEPENDENCE-Full staff performance of activity during entire 7 days								4
6	ACTIVITY DID NOT OCCUR during entire 7 days								8

45593-1   Walk in room - support provided   Find   Pt   ^Patient   Ord   MDS   CE G1cB

CONSISTENCY CHECKS: *1. Value must be 8, if G1cA = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_768

SEQ#	Answer	Global ID	Code	System
1	No setup or physical help from staff		0	
2	Setup help only		1	
3	One person physical assist		2	
5	ADL activity itself did not occur during entire 7 days		8	

45594-9   Walk in corridor - self-performance   Find   Pt   ^Patient   Ord   MDS   CE G1dA

CONSISTENCY CHECKS: *1. Value must be 8, if G1dB = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_755

SEQ#	Answer	Global ID	Code	System
1	INDEPENDENT-No help or oversight -OR- Help/oversight provided only 1 or 2 times during last 7 days		0	
2	SUPERVISION-Oversight, encouragement or cueing provided 3 or more times during last7 days -OR- Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days		1	
3	LIMITED ASSISTANCE-Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times - OR-More help provided only 1 or 2 times during last 7 days		2	
4	EXTENSIVE ASSISTANCE-While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: - Weight-bearing support - Full staff performance during part (but not all) of last 7 days		3	
5	TOTAL DEPENDENCE-Full staff performance of activity during entire 7 days		4	
6	ACTIVITY DID NOT OCCUR during entire 7 days		8	

45595-6   Walk in corridor - support provided   Find   Pt   ^Patient   Ord   MDS   CE G1dB

CONSISTENCY CHECKS: *1. Value must be 8, if G1dA = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_768

SEQ#	Answer	Global ID	Code	System
1	No setup or physical help from staff		0	
2	Setup help only		1	
3	One person physical assist		2	
5	ADL activity itself did not occur during entire 7 days		8	

45596-4   Locomotion on unit - self-performance   Find   Pt   ^Patient   Ord   MDS   CE G1eA

CONSISTENCY CHECKS: *1. Value must be 8, if G1eB = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_755

SEQ#	Answer	Global ID	Code	System
1	INDEPENDENT-No help or oversight -OR- Help/oversight provided only 1 or 2 times during last 7 days		0	
2	SUPERVISION-Oversight, encouragement or cueing provided 3 or more times during last7 days -OR- Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days		1	
3	LIMITED ASSISTANCE-Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times - OR-More help provided only 1 or 2 times during last 7 days		2	
4	EXTENSIVE ASSISTANCE-While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: - Weight-bearing support - Full staff performance during part (but not all) of last 7 days		3	
5	TOTAL DEPENDENCE-Full staff performance of activity during entire 7 days		4	
6	ACTIVITY DID NOT OCCUR during entire 7 days		8	

45597-2   Locomotion on unit - support provided   Find   Pt   ^Patient   Ord   MDS   CE G1eB

CONSISTENCY CHECKS: *1. Value must be 8, if G1eA = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_768

SEQ#	Answer	Global ID	Code	System
1	No setup or physical help from staff		0	
2	Setup help only		1	
3	One person physical assist		2	

	5	ADL activity itself did not occur during entire 7 days	8						

| 45598-0 | | Locomotion off unit - self-performance | | Find | Pt | ^Patient | Ord | MDS | CE | G1fA |

CONSISTENCY CHECKS: *1. Value must be 8, if G1fB = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_755

SEQ#	Answer	Global ID	Code	System
1	INDEPENDENT-No help or oversight -OR- Help/oversight provided only 1 or 2 times during last 7 days		0	
2	SUPERVISION-Oversight, encouragement or cueing provided 3 or more times during last7 days -OR- Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days		1	
3	LIMITED ASSISTANCE-Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times - OR-More help provided only 1 or 2 times during last 7 days		2	
4	EXTENSIVE ASSISTANCE-While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: - Weight-bearing support - Full staff performance during part (but not all) of last 7 days		3	
5	TOTAL DEPENDENCE-Full staff performance of activity during entire 7 days		4	
6	ACTIVITY DID NOT OCCUR during entire 7 days		8	

| 45599-8 | | Locomotion off unit - support provided | | Find | Pt | ^Patient | Ord | MDS | CE | G1fB |

CONSISTENCY CHECKS: *1. Value must be 8, if G1fA = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_768

SEQ#	Answer	Global ID	Code	System
1	No setup or physical help from staff		0	
2	Setup help only		1	
3	One person physical assist		2	
5	ADL activity itself did not occur during entire 7 days		8	

| 45600-4 | | Dressing - self-performance | | Find | Pt | ^Patient | Ord | MDS | CE | G1gA |

CONSISTENCY CHECKS: *1. Value must be 8, if G1gB = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_755

SEQ#	Answer	Global ID	Code	System
1	INDEPENDENT-No help or oversight -OR- Help/oversight provided only 1 or 2 times during last 7 days		0	
2	SUPERVISION-Oversight, encouragement or cueing provided 3 or more times during last7 days -OR- Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days		1	
3	LIMITED ASSISTANCE-Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times - OR-More help provided only 1 or 2 times during last 7 days		2	
4	EXTENSIVE ASSISTANCE-While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: - Weight-bearing support - Full staff performance during part (but not all) of last 7 days		3	
5	TOTAL DEPENDENCE-Full staff performance of activity during entire 7 days		4	
6	ACTIVITY DID NOT OCCUR during entire 7 days		8	

| 45601-2 | | Dressing - support provided | | Find | Pt | ^Patient | Ord | MDS | CE | G1gB |

CONSISTENCY CHECKS: *1. Value must be 8, if G1gA = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_768

SEQ#	Answer	Global ID	Code	System
1	No setup or physical help from staff		0	
2	Setup help only		1	
3	One person physical assist		2	
5	ADL activity itself did not occur during entire 7 days		8	

| 45602-0 | | Eating - self-performance | | Find | Pt | ^Patient | Ord | MDS | CE | G1hA |

CONSISTENCY CHECKS: *1. Value must be 8, if G1hB = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_755

SEQ#	Answer	Global ID	Code	System
1	INDEPENDENT-No help or oversight -OR- Help/oversight provided only 1 or 2 times during last 7 days		0	
2	SUPERVISION-Oversight, encouragement or cueing provided 3 or more times during last7 days -OR- Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days		1	
3	LIMITED ASSISTANCE-Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times - OR-More help provided only 1 or 2 times during last 7 days		2	
4	EXTENSIVE ASSISTANCE-While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: - Weight-bearing support - Full staff performance during part (but not all) of last 7 days		3	
5	TOTAL DEPENDENCE-Full staff performance of activity during entire 7 days		4	

| | 6 | ACTIVITY DID NOT OCCUR during entire 7 days | | | | | | | 8 |

| 45603-8 | | Eating - support provided | | Find | Pt | ^Patient | Ord | MDS | CE | G1hB |

CONSISTENCY CHECKS: *1. Value must be 8, if G1hA = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_768

SEQ#	Answer	Global ID	Code	System
1	No setup or physical help from staff		0	
2	Setup help only		1	
3	One person physical assist		2	
5	ADL activity itself did not occur during entire 7 days		8	

| 45604-6 | | Toilet use - self-performance | | Find | Pt | ^Patient | Ord | MDS | CE | G1iA |

CONSISTENCY CHECKS: *1. Value must be 8, if G1iB = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_755

SEQ#	Answer	Global ID	Code	System
1	INDEPENDENT-No help or oversight -OR- Help/oversight provided only 1 or 2 times during last 7 days		0	
2	SUPERVISION-Oversight, encouragement or cueing provided 3 or more times during last7 days -OR- Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days		1	
3	LIMITED ASSISTANCE-Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times - OR-More help provided only 1 or 2 times during last 7 days		2	
4	EXTENSIVE ASSISTANCE-While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: - Weight-bearing support - Full staff performance during part (but not all) of last 7 days		3	
5	TOTAL DEPENDENCE-Full staff performance of activity during entire 7 days		4	
6	ACTIVITY DID NOT OCCUR during entire 7 days		8	

| 45605-3 | | Toilet use - support provided | | Find | Pt | ^Patient | Ord | MDS | CE | G1iB |

CONSISTENCY CHECKS: *1. Value must be 8, if G1iA = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_768

SEQ#	Answer	Global ID	Code	System
1	No setup or physical help from staff		0	
2	Setup help only		1	
3	One person physical assist		2	
5	ADL activity itself did not occur during entire 7 days		8	

| 45606-1 | | Personal hygiene - self-performance | | Find | Pt | ^Patient | Ord | MDS | CE | G1jA |

CONSISTENCY CHECKS: *1. Value must be 8, if G1jB = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_755

SEQ#	Answer	Global ID	Code	System
1	INDEPENDENT-No help or oversight -OR- Help/oversight provided only 1 or 2 times during last 7 days		0	
2	SUPERVISION-Oversight, encouragement or cueing provided 3 or more times during last7 days -OR- Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days		1	
3	LIMITED ASSISTANCE-Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times - OR-More help provided only 1 or 2 times during last 7 days		2	
4	EXTENSIVE ASSISTANCE-While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: - Weight-bearing support - Full staff performance during part (but not all) of last 7 days		3	
5	TOTAL DEPENDENCE-Full staff performance of activity during entire 7 days		4	
6	ACTIVITY DID NOT OCCUR during entire 7 days		8	

| 45607-9 | | Personal hygiene - support provided | | Find | Pt | ^Patient | Ord | MDS | CE | G1jB |

CONSISTENCY CHECKS: *1. Value must be 8, if G1jA = 8.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_768

SEQ#	Answer	Global ID	Code	System
1	No setup or physical help from staff		0	
2	Setup help only		1	
3	One person physical assist		2	
5	ADL activity itself did not occur during entire 7 days		8	

| 46008-9 | | Bathing | | - | Pt | ^Patient | Set | | | |

45608-7   Bathing - self-performance   Find   Pt   ^Patient   Ord   MDS   CE   G2A
    CONSISTENCY CHECKS: *1. Value must be 8, if G2B = 8.

    RELEVANCE EQUATION: 1

    ANSWER LIST: / MDS_860

SEQ#	Answer	Global ID	Code	System
1	Independent-No help provided		0	
2	Supervision-Oversight help only		1	
3	Physical help limited to transfer only		2	
4	Physical help in part of bathing activity		3	
5	Total dependence		4	
6	Activity itself did not occur during entire 7 days		8	

45609-5   Bathing - support provided   Find   Pt   ^Patient   Ord   MDS   CE   G2B
    CONSISTENCY CHECKS: *1. Value must be 8, if G2A = 8.

    RELEVANCE EQUATION: 1

    ANSWER LIST: / MDS_768

SEQ#	Answer	Global ID	Code	System
1	No setup or physical help from staff		0	
2	Setup help only		1	
3	One person physical assist		2	
5	ADL activity itself did not occur during entire 7 days		8	

46009-7   Test for balance   -   Pt   ^Patient   Set

45610-3   Balance while standing   Find   Pt   ^Patient   Ord   MDS   CE   G3a
    RELEVANCE EQUATION: 1

    ANSWER LIST: / MDS_876

SEQ#	Answer	Global ID	Code	System
1	Maintained position as required in test		0	
2	Unsteady, but able to rebalance self without physical support		1	
3	Partial physical support during test; or stands (sits) but does not follow directions for test		2	
4	Not able to attempt test without physical help		3	

45523-8   Balance while sitting   Find   Pt   ^Patient   Ord   MDS   CE   G3b
    RELEVANCE EQUATION: 1

    ANSWER LIST: / MDS_876

SEQ#	Answer	Global ID	Code	System
1	Maintained position as required in test		0	
2	Unsteady, but able to rebalance self without physical support		1	
3	Partial physical support during test; or stands (sits) but does not follow directions for test		2	
4	Not able to attempt test without physical help		3	

46010-5   Functional limitation in range of motion -   Pt   ^Patient   Set

45524-6   Range of motion   Find   Pt   Neck   Ord   MDS   CE   G4aA
    RELEVANCE EQUATION: 1

    ANSWER LIST: / MDS_889

SEQ#	Answer	Global ID	Code	System
1	No limitation		0	
2	Limitation on one side		1	
3	Limitation on both sides		2	

45525-3   Voluntary movement   Find   Pt   Neck   Ord   MDS   CE   G4aB
    RELEVANCE EQUATION: 1

    ANSWER LIST: / MDS_898

SEQ#	Answer	Global ID	Code	System
1	No loss	0		
2	Partial loss	1		
3	Full loss	2		

45526-1   Range of motion   Find   Pt   Upper extremity Ord MDS   CE   G4bA
    RELEVANCE EQUATION: 1

    ANSWER LIST: / MDS_889

SEQ#	Answer	Global ID	Code	System

1	No limitation	0						
2	Limitation on one side	1						
3	Limitation on both sides	2						

45527-9	Voluntary movement	Find	Pt	Upper extremity	Ord	MDS	CE	G4bB

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_898

SEQ#	Answer	Global ID	Code	System
1	No loss		0	
2	Partial loss		1	
3	Full loss		2	

45528-7	Range of motion	Find	Pt	Hand	Ord	MDS	CE	G4cA

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_889

SEQ#	Answer	Global ID	Code	System
1	No limitation		0	
2	Limitation on one side		1	
3	Limitation on both sides		2	

45529-5	Voluntary movement	Find	Pt	Hand	Ord	MDS	CE	G4cB

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_898

SEQ#	Answer	Global ID	Code	System
1	No loss		0	
2	Partial loss		1	
3	Full loss		2	

45530-3	Range of motion	Find	Pt	Lower extremity	Ord	MDS	CE	G4dA

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_889

SEQ#	Answer	Global ID	Code	System
1	No limitation		0	
2	Limitation on one side		1	
3	Limitation on both sides		2	

45531-1	Voluntary movement	Find	Pt	Lower extremity	Ord	MDS	CE	G4dB

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_898

SEQ#	Answer	Global ID	Code	System
1	No loss		0	
2	Partial loss		1	
3	Full loss		2	

45532-9	Range of motion	Find	Pt	Foot	Ord	MDS	CE	G4eA

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_889

SEQ#	Answer	Global ID	Code	System
1	No limitation		0	
2	Limitation on one side		1	
3	Limitation on both sides		2	

45533-7	Voluntary movement	Find	Pt	Foot	Ord	MDS	CE	G4eB

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_898

SEQ#	Answer	Global ID	Code	System
1	No loss		0	
2	Partial loss		1	
3	Full loss		2	

45534-5	Other - range of motion	Find	Pt	^Patient	Ord	MDS	CE	G4fA

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_889

SEQ#	Answer	Global ID	Code	System
1	No limitation		0	
2	Limitation on one side		1	

3	Limitation on both sides	2						

45535-2		Other - voluntary movement	Find	Pt	^Patient	Ord	MDS	CE	G4fB

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_898

SEQ#	Answer	Global ID	Code	System
1	No loss		0	
2	Partial loss		1	
3	Full loss		2	

46011-3		Modes of locomotion	-	Pt	^Patient	Set			

45536-0		Uses cane, walker or crutch	Find	Pt	^Patient	Ord	MDS	CE	G5a

CONSISTENCY CHECKS: *1. See G5e consistency notes #1 and #2.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_117

SEQ#	Answer	Global ID	Code	System
1	No		0	
2	Yes		1	
3	UTD		-	

45537-8		Wheeled self	Find	Pt	^Patient	Ord	MDS	CE	G5b

CONSISTENCY CHECKS: *1. See G5e consistency notes #1 and #2.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_117

SEQ#	Answer	Global ID	Code	System
1	No		0	
2	Yes		1	
3	UTD		-	

45538-6		Other person wheeled	Find	Pt	^Patient	Ord	MDS	CE	G5c

CONSISTENCY CHECKS: *1. See G5e consistency notes #1 and #2.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_117

SEQ#	Answer	Global ID	Code	System
1	No		0	
2	Yes		1	
3	UTD		-	

45539-4		Uses wheelchair for primary locomotion	Find	Pt	^Patient	Ord	MDS	CE	G5d

CONSISTENCY CHECKS: *1. See G5e consistency notes #1 and #2.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_117

SEQ#	Answer	Global ID	Code	System
1	No		0	
2	Yes		1	
3	UTD		-	

45540-2		No modes of locomotion	Find	Pt	^Patient	Ord	MDS	CE	G5e

CONSISTENCY CHECKS: *1. If REC_TYPE A,AM,AO,Y,YM, or YO, G5e must be 0 (zero) if any G5a thru G5d = 1; G5e must be 1 if each G5a thru G5d = 0 (zero); G5e must be - if any G5a thru G5d = - and no G5a thru G5d = 1.

2. If REC_TYPE is Q, QM, or QO, and G5e is active by State option, then G5e must be 0 (zero) if any active (State option) G5a thru G5d = 1; G5e must be 1 if each active (State option) G5a thru G5d = 0 (zero); G5e must be - if any active (State option) G5a thru G5d = - and no active (State option) G5a thru G5d = 1.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_117

SEQ#	Answer	Global ID	Code	System
1	No		0	
2	Yes		1	
3	UTD		-	

46012-1		Modes of transfer	-	Pt	^Patient	Set			

45541-0	Bedfast all or most of the time	Find	Pt	^Patient	Ord	MDS	CE	G6a

CONSISTENCY CHECKS: *1. See G6f consistency notes #1 and #2.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_117

SEQ#	Answer	Global ID	Code	System
1	No		0	
2	Yes		1	
3	UTD		-	

45542-8	Bed rails for bed mobility or transfer	Find	Pt	^Patient	Ord	MDS	CE	G6b

CONSISTENCY CHECKS: *1. See G6f consistency notes #1 and #2.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_117

SEQ#	Answer	Global ID	Code	System
1	No		0	
2	Yes		1	
3	UTD		-	

45543-6	Lifted manually	Find	Pt	^Patient	Ord	MDS	CE	G6c

CONSISTENCY CHECKS: *1. See G6f consistency notes #1 and #2.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_117

SEQ#	Answer	Global ID	Code	System
1	No		0	
2	Yes		1	
3	UTD		-	

45544-4	Lifted mechanically	Find	Pt	^Patient	Ord	MDS	CE	G6d

CONSISTENCY CHECKS: *1. See G6f consistency notes #1 and #2.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_117

SEQ#	Answer	Global ID	Code	System
1	No		0	
2	Yes		1	
3	UTD		-	

45545-1	Transfer aid	Find	Pt	^Patient	Ord	MDS	CE	G6e

CONSISTENCY CHECKS: *1. See G6f consistency notes #1 and #2.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_117

SEQ#	Answer	Global ID	Code	System
1	No		0	
2	Yes		1	
3	UTD		-	

45546-9	No mode of transfer	Find	Pt	^Patient	Ord	MDS	CE	G6f

CONSISTENCY CHECKS: *1. If REC_TYPE A,AM,AO,Y,YM, or YO, G6f must be 0 (zero) if any G6a thru G6e = 1; G6f must be 1 if each G6a thru G6e = 0 (zero); G6f must be - if any G6a thru G6e = - and no G6a thru G6e = 1.

2. If REC_TYPE is Q, QM, or QO, then G6f must be 0 (zero) if any active (State option) G6a thru G6e = 1; G6f must be 1 if each active (State option) G6a thru G6e = 0 (zero); G6f must be - if any active (State option) G6a thru G6e = - and no active (State option) G6a thru G6e = 1.

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_117

SEQ#	Answer	Global ID	Code	System
1	No		0	
2	Yes		1	
3	UTD		-	

45611-1	Task segmentation	Find	Pt	^Patient	Ord	MDS	CE	G7

RELEVANCE EQUATION: 1

ANSWER LIST: / MDS_117

SEQ#	Answer	Global ID	Code	System
1	No		0	
2	Yes		1	
3	UTD		-	

46013-9   ADL functional rehabilitation potential   -   Pt   ^Patient   Set

45612-9   Resident sees increased independence capability   Find Pt   ^Patient   Ord MDS   CE G8a

   CONSISTENCY CHECKS: *1. See G8e consistency notes #1 and #2.

   RELEVANCE EQUATION: 1

   ANSWER LIST: / MDS_117

SEQ#	Answer	Global ID	Code	System
1	No		0	
2	Yes		1	
3	UTD		-	

45613-7   Staff sees increased independence capability   Find Pt   ^Patient   Ord MDS   CE G8b

   CONSISTENCY CHECKS: *1. See G8e consistency notes #1 and #2.

   RELEVANCE EQUATION: 1

   ANSWER LIST: / MDS_117

SEQ#	Answer	Global ID	Code	System
1	No		0	
2	Yes		1	
3	UTD		-	

45614-5   Resident slow performing tasks or activity   Find Pt   ^Patient   Ord MDS   CE G8c

   CONSISTENCY CHECKS: *1. See G8e consistency notes #1 and #2.

   RELEVANCE EQUATION: 1

   ANSWER LIST: / MDS_117

SEQ#	Answer	Global ID	Code	System
1	No		0	
2	Yes		1	
3	UTD		-	

45615-2   Difference in morning to evening activities of daily   Find Pt   ^Patient   Ord MDS   CE G8d
                                 living

   CONSISTENCY CHECKS: *1. See G8e consistency notes #1 and #2.

   RELEVANCE EQUATION: 1

   ANSWER LIST: / MDS_117

SEQ#	Answer	Global ID	Code	System
1	No		0	
2	Yes		1	
3	UTD		-	

45616-0   Activities of daily living rehabilitation potential - none   Find Pt   ^Patient   Ord MDS   CE G8e
                                 of above

   CONSISTENCY CHECKS: *1. If REC_TYPE A,AM,AO,Y,YM, or YO, G8e must be 0 (zero) if any G8a thru G8d = 1; G8e must be 1 if each G8a thru G8d = 0 (zero); G8e must be - if any G8a thru G8d = - and no G8a thru G8d = 1.

   2. If REC_TYPE is Q, QM, or QO, and G8e is active by State option, then G8e must be 0 (zero) if any active (State option) G8a thru G8d = 1; G8e must be 1 if each active (State option) G8a thru G8d = 0 (zero); G8e must be - if any active (State option) G8a thru G8d = - and no active (State option) G8a thru G8d = 1.

   RELEVANCE EQUATION: 1

   ANSWER LIST: / MDS_117

SEQ#	Answer	Global ID	Code	System
1	No		0	
2	Yes		1	
3	UTD		-	

45617-8   Change in activities of daily living function   Find Pt   ^Patient   Ord MDS   CE G9

   RELEVANCE EQUATION: 1

   ANSWER LIST: / MDS_464

SEQ#	Answer	Global ID	Code	System
1	No change		0	
2	Improved		1	
3	Deteriorated		2	